




COES WRENCH CO.
WORCESTER, MASS.
U.S.A.



COES' GENUINE SCREW WRENCHES



Manufactured by
COES WRENCH COMPANY,
WORCESTER, MASS., U. S. A.

Agents
J. C. McCARTY & Co.
10 WARREN ST., NEW YORK. 105 FRONT ST. SAN FRANCISCO, CAL.
1515 LARIMER ST., DENVER, COL.
JOHN H. GRAHAM & CO.
115 CHAMBERS ST., N.Y. 125 CALIFORNIA ST. SAN FRANCISCO, CAL.
118 HOLBORN, LONDON, E.C. COPENHAGEN, O. FREEPORT, DENMARK.

ESTABLISHED 1843



SHOP NO 1

L. & A. G. COES 1843-1869.

L. COES & Co. 1869-1885.

COES WRENCH Co. 1885-1902.

COES WRENCH Co. 1902-to date.
(Sole ownership of Loring Coes.)



SHOPS NOS. 2 AND 3



*I*N introducing the new goods here shown to our clients we would state that they are made under the supervision and direction of Mr. Loring Coes, the original inventor of the screw wrench, and the maker of practically all the improvements since 1843. It has always been his intention to give the item of **QUALITY** careful consideration, leaving the matter of selling price entirely out of the manufacture of his goods. We know these goods to be the highest in quality and we also know from actual test that they are enough higher in quality to more than offset any differences in cost. A little consideration should show the wise purchaser that quality and commensurate price are practically an assurance of satisfaction.



COES' "GENUINE" WRENCH "Steel ★ Handle" Model

The railroad wrench par excellence. Now adopted by the largest roads and manufacturers.

6-in., 8-in. and 10-in. sizes made with standard bar slot for screw.

12-in., 15-in., 18-in. and 21-in. made with ball bearing screw and extended screw support.

BAR. Steel, fully hardened and cold swaged. The stiffest bar made in any line.

JAW. Extra heavy, semi-steel and hardened.

SCREW. Steel, hardened and in the ball bearing sizes, with polished and hardened ball race.

BALL. First quality standard bearing ball. Fully hardened.

HANDLE. Semi-steel casting. (Design and method patented.) Internally supported and retained by cross riveting and by extension of bar through handle and riveting same. This wrench has tested 35 per cent. stronger than any wrench made by competitors, and, owing to being heavier than our K. H. model, about 15 per cent. stronger than that regular model.

Made for use in extra difficult service, and in exposed places, where heat or damp would injure a wood handle.

Purposely made heavier for this duty and for special adaptation to railroad work.

Warranted free from mechanical defects and both wrench and trade name registered and each wrench stamped with maker's name, etc.

All goods are subject to eleven inspections before assembling and five after assembling.

List on page 9.

Case sizes and weights on page 11.

COES' "GENUINE" WRENCH

HAMMERHANDLE Model

This wrench is a wood handle wrench made to use the heavier parts of our No. ★ model and to test up with that one in service. It is a close second in strength, while showing over 30 per cent. more in tests than competing goods, and only 1 or 2 per cent. less than the No. ★

Made especially for those whose rooted objection to a metal handle makes a wood handle imperative.

Owing to the form of the handle, it is possible to hold a larger wrench comfortably with one hand than is possible with the swelled handle heretofore used.

Handle specifications identical with K. H. model.

Bar, jaw, etc., identical with ★ model.


Ball bearing in sizes 12 inches and up.

Packages bear a blue, gold and white label, with words "Hammer Handle" in white.

Warranted free from mechanical defects and both wrench and trade name registered and each wrench stamped with maker's name, etc.

All goods are subject to eleven inspections before assembling and five after assembling.

List on page 9.
Case sizes and weights on page 11.



COES' "GENUINE" WRENCH

Mechanics Model



This wrench has the original round handle and is the best in its class. We have no trouble in selling it where people wish a good article but do not wish or cannot afford to sell the higher grade goods. It is made with the same care as our regular goods and of equally good material. It is stronger than most wrenches that are sold as substitutes for our "Knife-Handle" model and closely approximates these imitations in price. It is made in six sizes only, from 6" to 18" and in but one finish, Black. These goods will be found very satisfactory for agricultural trade, although they have nothing in common with the so-called agricultural wrench.

All goods are subject to eleven inspections before assembling and five after assembling.

List on page 9.

Case sizes and weights on page 11.



Price List.

STEEL ★ HANDLE

SIZE	FULL	CASE CONTAINS HALF	EXTRA	PER DOZEN
6 inch	6 dozen	3 dozen		\$ 9 00
8 "	6 "	3 "		10 00
10 "	6 "	3 "		12 00
12* "	6 "	3 "	4 dozen	14 00
15* "	3 "	1½ "	2 "	24 00
18* "	2 "	1 "		30 00
21* "	1 "	½ "		36 00

HAMMER HANDLE (Black)

SIZE	FULL	CASE CONTAINS HALF	EXTRA	PER DOZEN
6 inch	6 dozen	3 dozen		\$ 9 00
8 "	6 "	3 "		10 00
10 "	6 "	3 "		12 00
12 "	6 "	3 "	4 dozen	14 00
15 "	3 "	1½ "	2 "	24 00
18 "	2 "	1 "		30 00
21 "	1 "	½ "		36 00

HAMMER HANDLE (Bright)

SIZE	FULL	CASE CONTAINS HALF	EXTRA	PER DOZEN
6 inch	6 dozen	3 dozen		\$10 00
8 "	6 "	3 "		11 00
10 "	6 "	3 "		14 00
12 "	6 "	3 "	4 dozen	16 00
15 "	3 "	1½ "	2 "	26 00
18 "	2 "	1 "		32 00
21 "	1 "	½ "		38 00

KNIFE HANDLE (Black)

SIZE	FULL	CASE CONTAINS HALF	EXTRA	PER DOZEN
6 inch	6 dozen	3 dozen		\$ 9 00
8 "	6 "	3 "		10 00
10 "	6 "	3 "		12 00
12 "	6 "	3 "	4 dozen	14 00
15 "	3 "	1½ "	2 "	24 00
18 "	2 "	1 "		30 00
21 "	1 "	½ "		36 00

* Ball Bearing.

KNIFE HANDLE (Bright)

SIZE	CASE CONTAINS			EXTRA	PER DOZEN
	FULL	HALF			
6 inch	6 dozen	3 dozen			\$10 00
8 "	6 "	3 "			11 00
10 "	6 "	3 "			14 00
12 "	6 "	3 "	4 dozen		16 00
15 "	3 "	1½ "	2 "		26 00
18 "	2 "	1 "			32 00
21 "	1 "	½ "			38 00

MECHANICS ROUND WOOD HANDLE

SIZE	CASE CONTAINS			EXTRA	PER DOZEN
	FULL	HALF			
6 inch	6 dozen	3 dozen			\$ 9 00
8 "	6 "	3 "			10 00
10 "	6 "	3 "			12 00
12 "	6 "	3 "	4 dozen		14 00
15 "	3 "	1½ "	2 "		24 00
18 "	2 "	1 "			30 00

Sterling Prices as applied to Black and Bright Lists.

Size	BLACK		Size	BRIGHT	
		Sterling			Sterling
6 inch	\$ 9 00	37/6	6 inch	\$10 00	41/8
8 "	10 00	41/8	8 "	11 00	45/10
10 "	12 00	50/	10 "	14 00	58/4
12 "	14 00	58/4	12 "	16 09	66/8
15 "	24 00	100/	15 "	26 00	108/4
18 "	30 00	125/	18 "	32 00	133/4
21 "	36 00	150/	21 "	38 00	158/4

Sizes and Specifications.

28-inch wrench takes a hexagon nut union on 4-inch pipe. Length, 28 inches over all. Weight, 19 pounds. Two positions for strap. List, each, \$9.75

36-inch wrench takes a hexagon nut union on 5-inch pipe. Length, 36 inches over all. Weight, 27 pounds. Two positions for strap. List, each, \$19.00

48-inch wrench takes a 9-inch hexagon nut. Length, 48 inches over all. Weight, 62 pounds. Two positions for strap. List, each, \$47.00

CASE SIZES AND WEIGHTS.

Wrench Sizes.	Contents	Outside Dimension of Cases.	KNIFE HANDLE.		STEEL HDL.		HAMMER HDL.	
			Net.	Gross.	Net.	Gross.	Net.	Gross.
6 in.	6 Doz.	18½" x 8½" x 6½"	54	60				
	3 "	18½" x 8½" x 4 "	27	31½				
	6 "	17½" x 8½" x 6 "			54	60	54	60
	3 "	17½" x 8½" x 3½"			27	32	27	32
8 in.	6 "	21½" x 10½" x 7½"	96	105				
	3 "	21½" x 10½" x 4½"	48	54				
	6 "	20½" x 10½" x 6½"			102	106	102	106
	3 "	21 " x 10½" x 4½"			51	57	51	57
10 in.	6 "	25½" x 12 " x 8 "	150	167				
	3 "	25½" x 12 " x 5 "	75	87				
	6 "	25 " x 12 " x 7½"			156	170	156	170
	3 "	13 " x 12½" x 7½"			78	86	78	86
12 in.	6 "	30 " x 14½" x 8½"	228	250				
	4 "	19½" x 14½" x 8½"	152	163				
	3 "	15½" x 14 " x 8½"	114	122				
	2 "	19½" x 14½" x 5½"	76	87				
	6 "	28 " x 14½" x 8½"			258	282	258	282
	4 "	18½" x 14½" x 7½"			172	184	172	184
	3 "	14½" x 14½" x 8 "			129	139	129	139
15 in.	3 "	19 " x 16½" x 10 "	159	182				
	2 "	17½" x 11½" x 9½"	106	124				
	1½ "	17 " x 14 " x 6½"	79½	93				
	3 "	19 " x 16½" x 9½"			186	200	186	200
	2 "	17½" x 11½" x 9 "			124	133	124	133
	1½ "	17½" x 12½" x 6½"			93	101	93	101
18 in.	2 "	20 " x 12½" x 10½"	160	172				
	1 "	20½" x 10½" x 7½"	80	86				
	2 "	21½" x 12½" x 9½"			178	194	178	194
	1 "	20½" x 9½" x 6½"			89	98	89	98
21 in.	1 "	23 " x 11 " x 7½"	105	117				
	½ "	22½" x 7½" x 6½"	52½	58				
	1 "	23½" x 10½" x 7½"			121	130	121	130
28 in.	1 only	33½" x 7 " x 3½"			15	25		
	2 "	37 " x 7½" x 3½"			30	41		
	4 "	37 " x 7½" x 5½"			60	73		
36 in.	1 "	40 " x 7½" x 3½"			25	35		
	2 "	44½" x 8½" x 3½"			50	62		
	4 "	44½" x 8½" x 5½"			100	112		
48 in.	1 only	53½" x 9½" x 4½"			62	71		
	2 "	57½" x 10½" x 4½"			122	135		


TERMS.

All goods are sold subject to the following sales terms: Net, 90 days; 3% discount for strict 10-day cash. All accounts subject to sight draft after 90 days without notice. Actual freight allowed, not to exceed 50c. per hundred pounds gross weight, and no freight allowance whatever will be made on invoices amounting to \$10.00 net and under.

Expressage, cartage or other handling fees we cannot be responsible for and will not allow as deductions from invoices. All repairs are strictly net cast without discount and f. o. b. Worcester.

REPAIRS.

Owing to trade, changes, and moving of factories, etc., we carry *no* repairs for wrenches made by this company prior to 1885.



THE DAVIS PRESS, WORCESTER, MASS.